



# Cochise County

Development Services

Public Programs...Personal Service

www.cochise.az.gov

## Sierra Vista Sub-Watershed - Water Conservation Overlay Zone Permit Checklist

The following water conservation measures shall be required of all residential and non-residential properties in the Sierra Vista Sub-watershed, as defined by the Arizona Department of Water Resources and delineated on County maps:

### **RESIDENTIAL AND NON-RESIDENTIAL PERMITS:**

**Hot Water on Demand:** In new construction, a hot water system will be installed to provide hot water on demand at the point of use in sinks and baths/showers. Recirculation devices shall include timers, temperature sensors or remote control operation. Point of use hot water heaters that serve individual fixtures or other alternatives that deliver hot water at each fixture within a waiting period of 15 seconds or less are acceptable.

**Describe device(s) proposed to achieve hot water on demand at all sinks, baths or showers in proposed new construction:** \_\_\_\_\_

**Are Hot Water on Demand Device(s) shown in construction plans?** \_\_\_\_\_ Yes \_\_\_\_\_ No  
**Device Cut-Sheets Provided?** \_\_\_\_\_ Yes \_\_\_\_\_ No

**Note:** *THIS ITEM DOES NOT APPLY TO MANUFACTURED OR REHABILITATED MOBILE HOMES*

**Outdoor Sprinkler Systems:** Any new installation or replacement of an automatic outdoor sprinkler system shall also include the installation of a rain or humidity sensor that will override the irrigation cycle of the sprinkler system when rainfall has occurred in an amount sufficient to negate the need for irrigation at the scheduled time. Where there are multiple areas with a sprinkler system watered from one controller, the sensor must be installed at the largest area.

**Does permit include any proposed automatic outdoor sprinkler systems?** \_\_\_\_\_ Yes  
\_\_\_\_\_ No **If Yes, then system shall include rain or humidity sensors.**

**Is the Outdoor Sprinkler System depicted on Plans (site or construction)?** \_\_\_\_\_ Yes  
\_\_\_\_\_ No

**Evaporative Coolers:** New or replacement evaporative coolers shall not be single-pass coolers.

**Does permit propose any new or replacement of evaporative coolers?** \_\_\_\_\_ Yes  
**If Yes, then evaporative coolers shall not be single-pass, i.e. non-re-circulating.**

**Are Evaporative Coolers depicted on Plans and Cut-Sheets provided (site or construction)?** \_\_\_\_\_ Yes

**Bisbee Office**  
1415 Melody Lane, Building F  
Bisbee, Arizona 85603  
520-432-9300  
520-432-9278 fax  
planningandzoning@cochise.az.gov

By signing below, I (the applicant) hereby acknowledge that the information provided above is accurate and true, subject to minor revisions that are in conformance with the County's regulations as they relate to the requirements of the Sierra Vista Sub-Watershed Water Conservation Overlay District, and that said information may be verified through the County's building permit review and inspection process.

---

Applicant's Name (printed) and Signature

Date